


Professional Scoreboards

Professional multisport scoreboard with time, score, period, bonus, time-out indicators, arrows indicating possession/service/turn, team fouls/sets won, foul details, dimensions 200x180x9cm, visibility at 130m, with the team name programmable.

Art. 8475



Displayed functions:

1. **Game time:** [00:00 - 99:59], digits 30cm high.
2. **Team score:** [0-199], digits 30cm high.
3. **Period:** [0-9], digits 30cm high.
4. **Team fouls / Sets won:** [0-9], digits 30cm high.
5. **Last foul:** [0-99] player number, [0-9] foul number. Digits 30cm high.
6. **Bonus:** [1 light point per team], 8cm diameter.
7. **Timeout:** [3 illuminated points per team], 8cm diameter.
8. **Possession/Serve/Turn:** [indicator arrows].
9. **Team-names programmable:** 8 characters per team, 15.5cm high, team-names readable up to 90m

Dimensions: 200x180x9cm.

Weight: 67kg

Distance and readability angle: 130m, 150 degrees (team-names readable up to 90m)

F.I.B.A. approved

Game Timer. Using the control console (item [8485](#), not included), various operating modes can be set depending on the selected sport: game and interval times, forward or backward counting, display of tenths of a second in the last minute of play, display of the time of day, etc.

The horn can be sounded manually or automatically when the time expires, producing a strong acoustic signal (120dB at 1m) with adjustable duration and intensity.

Display of the last foul (PLAYER/FOUL) with the number of the player and the number of the player foul (displayed for a few seconds).

Easy to install. Technical instructions in 5 languages. Provided with bolts and brackets for wall mounting.

No front protection cover required. Complies with DIN 18032-3 and UNI 9554 standards on "Testing of safety against ball throwing". In addition to saving on the cost of additional protection, full visibility is completely preserved and access to the scoreboard is easy.

It can be used together with other models to create large display boards that show multiple pieces of information.

Supplied with a serial cable to connect to the control console (item [8485](#), not included), 50 m long or chose different lengths available upon request. Alternatively, a radio receiver (item [8489](#), optional) is available, that allows you to save on the cable costs installation.

Power supply: 100-240Vac, 50-60Hz, 250VA. Select the type of plug for the power supply cord when ordering.

Views are easily accessible from the front, built with high-quality, wide-angle SMD LED technology, with an average lifespan of 100,000 hours.

Optional anti-moisture coating of the electronic boards, recommended for swimming-pool and ice-rink installations. Please specify this option when ordering.

Cheap and fast shipping. The scoreboard is especially designed to be taken apart into smaller modules that are easy to assemble. So that it can be shipped via all major couriers at a low cost and with faster delivery times to any countries.

Robust container made from powder-coated aluminum. Front panel made from anti-glare polycarbonate.

Guarantee: 2 years.

Visit our "[Scoreboards](#)" section for more information on other available models.

Caratteristiche:

DIMENSIONS: 200x180x9cm

READABILITY: Up to 130m distance, with angles up to 150°

POWER SUPPLY: 100-240Vac, 50-60Hz, 300VA

FEATURES FUNCTIONALITIES: Indication of number of team fouls or sets won, last foul details. Team-names programmable, 8 characters per team